

## INDEX TO VOLUME XCVI

## Alphabetical Table of Contents of Authors

- ALEXANDER, MARY L., Detection and separation of spontaneous and induced translocation in mature and immature germ cells of *Drosophila*, 309
- AMERICAN SOCIETY OF NATURALISTS, Reports of the Secretary, Treasurer, and Editor, 189
- ANDREWARTHA, H. G., See P. G. MARTIN
- BARKER, J. S. F., Sexual isolation between *Drosophila melanogaster* and *Drosophila simulans*, 105
- BARTH, ROBERT H., JR., See TERRELL H. HAMILTON
- BELL, A. E., See ELIOT KRAUSE
- BLACKMAN, DOROTHY G., See C. E. DYTE
- BROWER, JANE VZ., and L. P. BROWER, Experimental studies of mimicry. 6. The reaction of toads (*Bufo terrestris*) to honeybees (*Apis mellifera*) and their dronefly mimics (*Eristalis vinetorum*), 297
- BROWER, L. P., See JANE VZ. BROWER
- CHOVNIK, A., A. SCHALET, R. P. KERNAGHAN and JOY TALSMA, The resolving power of genetic fine structure analysis in higher organisms as exemplified by *Drosophila*, 281
- CUSHING, JOHN E., A symposium on immunogenetic concepts in marine population research, 193
- DAWSON, PETER S., and I. MICHAEL LERNER, Genetic variation and indeterminism in interspecific competition, 379
- DINGLE, HUGH, The occurrence and ecological significance of color responses in some marine crustacea, 151
- DOBZHANSKY, TH., Rigid vs. flexible chromosomal polymorphisms in *Drosophila*, 321
- DODSON, EDWARD O., Note on the cost of natural selection, 123
- DYTE, C. E., and DOROTHY G. BLACKMAN, A new mutation linked to 'Pearl' in *Tribolium confusum* Duval (Coleoptera: Tenebrionidae), 376
- FILOSA, M. F., Heterocytosis in cellular slime molds, 79
- FUJINO, KAZUO, Blood types of some species of Antarctic whales, 205
- GEER, B. W., and M. M. GREEN, Genotype, phenotype and mating behavior of *Drosophila melanogaster*, 175
- GREEN, M. M., See B. W. GEER
- GUNSON, MARY M., Cytological effects of x-rays in relation to dose rate in *Drosophila melanogaster*, 347
- HAMILTON, TERRELL H., and ROBERT H. BARTH, JR., The biological significance of season change in male plumage appearance in some new world migratory bird species, 129
- HEIMANS, J., Hugo de Vries and the gene concept, 93
- HILDEMANN, W. H., Immunogenetic studies of poikilothermic animals, 195
- HOLLOWAY, JAMES R., See LUCIAN M. SPRAGUE
- KELLEHER, THERESE, See KENICHI KOJIMA
- KERNAGHAN, R. P., See A. CHOVIK
- KESSLER, SEYMOUR, Courtship rituals and reproductive isolation between the races or incipient species of *Drosophila paulistorum*, 117
- KIMURA, M., A suggestion on the experimental approach to the origin of supernumerary chromosomes, 319
- KOJIMA, KEN-ICHI, and THERESE M. KELLEHER, Survival of mutant genes, 329
- KRAUSE, ELIOT, DORIS SHIDELER and A. E. BELL, An autosomal dominant mutant in *Tribolium castaneum* with recessive lethal effects, 186
- LANGRIDGE, J., A genetic and molecular basis for heterosis in *Arabidopsis* and *Drosophila*, 5
- LERNER, I. MICHAEL, See PETER S. DAWSON
- LEVINS, R., Theory of fitness in a homogeneous environment. I. The fitness set and adaptive function, 361
- LEWONTIN, R. C., Interdeme selection controlling a polymorphism in the house mouse, 65
- LIDICKER, WILLIAM Z., JR., Emigration as a possible mechanism permitting the regulation of population density below carrying capacity, 29

- MacARTHUR, JOHN W., See ROBERT H. MacARTHUR
- MacARTHUR, ROBERT H., JOHN W. MacARTHUR and JAMES PREER, On bird species diversity. II. Prediction of bird census from habitat measurements, 167
- MARTIN, J., Diversion polymorphisms in an antarctic species living in a simple environment, 317
- MARTIN, P. G., and H. G. ANDREWARTHA, Success in fighting of two varieties of mice, 375
- MEIJERING, M. P. D., and J. B. REDFERN, Heart-beats as a measure of biotic time in the life of Daphniidae, 61
- MORRIS, ROBERT W., Body size and temperature sensitivity in the chichlid fish, *Aequidens portalgrensis* (Hensel), 35
- NAYLOR, ALFRED F., Mating systems which could increase heterozygosity for a pair of alleles, 51
- NUMACHI, KEN-ICHI, Serological studies of species and races in oysters, 211
- ORIAN, G. H., Natural selection and ecological theory, 257
- OWEN, D. F., and R. G. WEIGERT, Balanced polymorphism in the meadow spittlebug, *Philaneus spumarius*, 353
- PREER, JAMES, See ROBERT H. MacARTHUR
- REDFERN, J. B., See M. P. D. MEIJERING
- RHYNE, C. L., Diploidization in *Gossypium hirsutum* as indicated by glandless stem and boll inheritance, 265
- RIDGWAY, GEORGE J., The application of some special immunological methods to marine population problems, 219
- ROBINSON, ROY, Anophthalmic white: a mutant with unusual morphological and pigmentary properties in the Syrian hamster, 183
- SANDLER, L., A directed, permanent genetic change involving the segregation-distortion system in *Drosophila melanogaster*, 161
- SCHALET, A., See A. CHOVIK
- SEATON, R. K., See A. F. YANDERS
- SHIDELER, DORIS, See ELIOT KRAUSE
- SINDERMAN, CARL J., Serology of Atlantic clupeoid fishes, 225
- SPRAGUE, LUCIAN M., and JAMES R. HOLLOWAY, Studies of the erythrocyte antigens of the skipjack tuna (*Katsuwonus pelamis*), 233
- STEPHENS, S. G., Further consideration of "a remote coincidence," 127
- STRANGIO, V. A., Radiosensitivity during spermatogenesis in *Drosophila melanogaster*, 145
- SUZUKI, AKIMI, On the blood types of yellowfin and bigeye tuna, 239
- TALSMA, JOY, See A. CHOVIK
- WALLACE, BRUCE, Temporal changes in the roles of lethal and semilethal chromosomes within populations of *Drosophila melanogaster*, 247
- WEIGERT, R. G., See D. F. OWEN
- YANDERS, A. F., and R. K. SEATON, The lack of mutagenicity of caffeine in *Drosophila*, 277

## Subject Index

- abortions, 209
- adaptive function, 364
- Aequidens portalgrensis* (Hensel), 35
- agar diffusion, 229
- agglutinins, 206
- albacore, 244
- albinism, 183
- alewife, 225
- alleles, 16, 51
- lethal t, 73
- sterile t, 73
- American Society of Naturalists, editor's report, 191
- secretary's report, 189
- treasurer's report, 190
- amphidiploid hybrids, 268
- animals
- poikilothermic, 195
- anophthalmic albino, 183
- antennae, 186
- antibodies, 197, 221
- hemagglutinating, 222
- antigens, 211, 219, 242
- erythrocyte, 233
- Apis mellifera*, 297
- Arabidopsis thaliana*, 6
- azide, 347
- backcross generation, 184
- beetles, 376
- Belgica antarctica*, 317
- biotic time, 61

- birds, 167
  - African, 135
  - American, 135
  - census, 167
  - migratory, 129, 138
  - sedentary, 138
- blood types, 205, 239
- body size, 35
- Bufo terrestris*, 297
- caffeine, 277
- Carson, 327
- chironomid, 317
- chromosomal aberrations, 348
- chromosomes, 162, 247
  - ring-X, 348
  - supernumerary, 319
  - translocation, 309
- cistron, 295
- Clethrionomys glareolus*, 30
- Clupeidae, 225
- color
  - dances, 153
  - responses, 151
  - sensitivities, 152
- competition, 179
  - interspecific, 379
- convex set, 363
- copepods, 153
- courtship rituals, 117
- Crassostrea, 212
- crustacea,
  - marine, 151
- cyanide, 347
- Daphnia longispina*, 153
- Daphnia magna*, 62
- decapods, 153
- de Vries, Hugo, 93
- Dendroica, 131
- Dictyostelium mucoroides*, 79
- Dolichonyx oryzivorus*, 131
- dose rate, 347
- dronefly, 297
- Drosophila flavopilosa*, 322
- Drosophila melanogaster*, 8, 31, 105, 145, 161, 175, 247, 347
- Drosophila paulistorum*, 117
- Drosophila pseudoobscura*, 321
- Drosophila robusta*, 322
- Drosophila simulans*, 105
- Drosophila virilis*, 347
- Drosophila willistoni*, 321
- ecology
  - theory, 258
- electrons, 347
- elytra, 353
- emigration, 29
- environment, 361, 366
- enzyme inactivation, 21
- Eristalis vinetorum*, 297
- erythrocyte isoantigens, 198
- erythrocytes, 206
- Escherichia coli*, 17
- extinction, 329
- family size, 330
- fighting, 375
- fish, 195, 221
  - Atlantic clupeoid, 225
  - cichlid, 35
- fitness, 331
- fitness set, 361
- gemmules, 94
- gene, 183
  - frequencies, 69
  - mutant, 329
  - substitutions, 124
  - survival, 329
- generation
  - backcross, 184
- genetic change, 161
- genetic fine structure, 281
- genotypes, 22, 175
- glandless stem and boll, 265
- Gossypium hirsutum*, 265
- grafts, 86
- gregariousness, 130
- growth,
  - requirements, 17
- habitat,
  - measurement, 167
- hamster, 183
- heart-beats, 61
- herring,
  - Atlantic, 225
  - blueback, 225
- heterocytosis, 79
- heteroselection, 327
- heterosis, 5
- heterozygotes, 56
- Homo erectus*, 123
- Homo sapiens*, 123
- Homo transvaalensis*, 123
- homografts, 200
- homozygotes, 52
- hybrids, 15
- Icterus spurius*, 131
- immunity, 197
- immunodiffusion methods, 219
- immunoelectrophoresis, 221
- immunogenetic concepts, 193
- immunological competence, 195
- immunological methods, 219
- interdeme selection, 76
- intracellular pangenesis, 94
- inversions, 324
- Katsuwonus pelamis*, 233

- Lagopus leucurus*, 131  
 larvae, 214  
     development, 11  
 Lepidoptera, 358  
 lethals, 348  
  
 marine population, 193, 219  
 mating, 163, 187  
     behavior, 175  
     systems, 51  
 McGill black, 376  
 meadow spittlebug, 353  
 measurement,  
     "acute," 36  
     "long-term," 36  
 meiotic drive, 320  
 Mendel, 101  
 menhaden, 225  
*Mesocricetus auratus*, 183  
 mice, 31, 65, 375  
*Microtus californicus*, 31  
 migration,  
     vertical, 154  
 mimicry, 297  
 Monte Carlo Method, 67  
*Mus musculus*, 31  
 mutants, 20, 87, 183  
     rosy, 283  
 mutation, 21  
     caffeine-induced, 277  
     ebony, 376  
     ebony-2, 376  
     'Pearl,' 376  
  
 natural selection, 123, 326  
*Neomysis americana*, 154  
 niches, 362  
 nucleotide pairs, 294  
  
 Ostrea, 212  
 Ouchterlony method, 220  
 oxygen consumption, 38  
 oysters, 211  
  
 pangene, 94  
*Pasteurella pestis*, 18  
 phenotype, 175  
*Philaenus pallidus*, 353  
*Philaenus spumarius*, 353  
 plumage,  
     male, 129  
     phenotype, 132  
 polymorphism 65, 321  
     balanced, 353  
     inversion, 317  
 population  
     density, 29  
     size, 335  
 populations, 67, 198, 247  
 precipitin reactions, 229  
 predators, 297  
  
 R. A. Fisher, 329  
 radiation, 347  
 radiation damage, 309  
 radiosensitivity, 145  
 ring-X, 348  
 rod-X, 348  
  
 salmon, 221  
*Salvelinus fontinalis*, 36  
 seasonal dimorphism, 130  
 segregation-distortion, 161  
 selection, 379  
 serology, 211, 225  
 "sex determiners," 358  
 sexual dimorphism, 133  
 sexual isolation, 105  
 sexual monomorphism, 138  
 shad, 225  
 short antennae, 186  
 slime molds, 79  
 species diversity, 167  
 spermatogenesis, 145  
 spermatozoa, 347  
*Spinus tristis*, 131  
 spore ratios, 85  
 stomatopods, 154  
 subpopulations, 207, 225  
 survival curves, 62  
 survival probability, 333  
 survival time, 14  
*Symphysodon discus*, 195  
  
 t-allele, 375  
 T locus, 375  
 temperature,  
     dependence, 5  
     environmental, 196  
     high, 41  
     low, 44  
     sensitivity, 35  
 toads, 297  
 translocation, 309, 347  
 transmission ratio, 375  
 transplantation isoantigens, 199  
*Tribolium castaneum*, 186, 379  
*Tribolium confusum*, 376, 379  
 trout,  
     brook, 36  
 tuna,  
     bigeye, 239  
     skipjack, 233  
     yellowfin, 239  
  
 variance component, 16  
 variants, 83  
 vole, 30  
  
 whales, 206  
     Antarctic, 205  
  
 xanthine dehydrogenase, 282  
 x-rays, 347

